

L Number	Hits	Search Text	DB	Time stamp
-	4144	(database (data ADJ base) data-base).ab,ti,clm. AND ((field attribute) SAME (entry entries)) AND (@ad <= "19990730" or @rlad <= "19990730")	USPAT; US-PGPUB	2004/04/06 22:09
-	144	(database (data ADJ base) data-base).ab,ti,clm. AND ((field attribute) SAME (entry entries)) AND (free WITH text) AND (@ad <= "19990730" or @rlad <= "19990730")	USPAT; US-PGPUB	2004/03/25 23:11
-	63	(database (data ADJ base) data-base).ab,ti,clm. AND ((index indices) SAME (entry entries)) AND (free WITH text) AND (@ad <= "19990730" or @rlad <= "19990730")	USPAT; US-PGPUB	2004/03/25 22:31
-	3773846	"5" AND (NOT ((database (data ADJ base) data-base).ab,ti,clm. AND ((field attribute) SAME (entry entries)) AND (free WITH text) AND (@ad <= "19990730" or @rlad <= "19990730")))	USPAT; US-PGPUB	2004/03/25 22:29
-	17	((database (data ADJ base) data-base).ab,ti,clm. AND ((index indices) SAME (entry entries)) AND (free WITH text) AND (@ad <= "19990730" or @rlad <= "19990730")) AND (NOT ((database (data ADJ base) data-base).ab,ti,clm. AND ((field attribute) SAME (entry entries)) AND (free WITH text) AND (@ad <= "19990730" or @rlad <= "19990730")))	USPAT; US-PGPUB	2004/03/25 22:29
-	251	(database (data ADJ base) data-base).ab,ti,clm. AND ((index indices field attribute) SAME (entry entries) SAME (free unknown)) AND (@ad <= "19990730" or @rlad <= "19990730")	USPAT; US-PGPUB	2004/03/25 22:33
-	204	((database (data ADJ base) data-base).ab,ti,clm. AND ((index indices field attribute) SAME (entry entries) SAME (free unknown)) AND (@ad <= "19990730" or @rlad <= "19990730")) AND (NOT ((database (data ADJ base) data-base).ab,ti,clm. AND ((field attribute) SAME (entry entries)) AND (free WITH text) AND (@ad <= "19990730" or @rlad <= "19990730")))	USPAT; US-PGPUB	2004/03/25 22:33
-	317	(database (data ADJ base) data-base).ab,ti,clm. AND ((key\$4 index indices field attribute) SAME (entry entries) SAME (free unknown)) AND (@ad <= "19990730" or @rlad <= "19990730")	USPAT; US-PGPUB	2004/03/25 22:34
-	267	((database (data ADJ base) data-base).ab,ti,clm. AND ((key\$4 index indices field attribute) SAME (entry entries) SAME (free unknown)) AND (@ad <= "19990730" or @rlad <= "19990730")) AND (NOT ((database (data ADJ base) data-base).ab,ti,clm. AND ((field attribute) SAME (entry entries)) AND (free WITH text) AND (@ad <= "19990730" or @rlad <= "19990730")))	USPAT; US-PGPUB	2004/03/25 22:34
-	1067	(database (data ADJ base) data-base).ab,ti,clm. AND ((field attribute key\$4) SAME (entry entries table index indices)) AND (free\$4 SAME (text string query search\$4)) AND (@ad <= "19990730" or @rlad <= "19990730")	USPAT; US-PGPUB	2004/03/25 23:13